



ISO/IEC 17025  
Accreditation No. 1031/47

## Analysis / Test Report

**Client :** Medifoods (Thailand) Co., Ltd.  
333 Moo.7, T.Chongsammor, A.Kangkhor, Chaipayum Thailand 36150  
**P/O :** PO6807001  
**Project Name :**  
**Project Location :**

**Lot ID: 2562017**

Date Received : Jun 27, 2025  
Date Reported : Jul 05, 2025  
Report Number : 3353918-1

Page 1 of 5

**Sample Number** 2562017-2  
**Sampled Date** Jun 25, 2025  
**Sample Description** ข้าวหอมมันปลูก (ตราฮักมัน) ข้าวปลอดสาร  
**Date Analysis Commenced** Jun 30, 2025  
**Condition of Sample** Packed in one plastic bag

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
<b>Pesticides - Carbamate Group</b>						
3-Hydroxy Carbofuran	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Aldicarb	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Aldicarb Sulfone	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Aldicarb Sulfoxide	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Carbaryl	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Carbofuran	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Carbosulfan*	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Methiocarb	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Methiocarb Sulfone	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Methiocarb sulfoxide	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Methomyl	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Oxamyl	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Promecarb	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Propoxur	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Thiodicarb	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
<b>Pesticides - Organochlorine Group</b>						
Aldrin	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok

Approved by

*S. Chanta*

Sumalee Chanta  
Manager

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.



ISO/IEC 17025  
Accreditation No. 1031/47

## Analysis / Test Report

**Client :** Medifoods (Thailand) Co., Ltd.  
333 Moo.7, T.Chongsammor, A.Kangkhor, Chaipayum Thailand 36150  
**P/O :** PO6807001  
**Project Name :**  
**Project Location :**

**Lot ID: 2562017**

Date Received : Jun 27, 2025  
Date Reported : Jul 05, 2025  
Report Number : 3353918-1

Page 2 of 5

**Sample Number** 2562017-2  
**Sampled Date** Jun 25, 2025  
**Sample Description** ข้าวหอมมันปลูก (ตราฮักมัน) ข้าวปลอดสาร  
**Date Analysis Commenced** Jun 30, 2025  
**Condition of Sample** Packed in one plastic bag

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
<b>Pesticides - Organochlorine Group</b>						
Aldrin and dieldrin	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
alpha-BHC	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
beta-BHC	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
BHC (alpha-BHC, beta-BHC, gamma-BHC and delta-BHC)	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Chlordane (cis- and trans-chlordane)	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
cis-Chlordane	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
DDT (p,p'-DDT, o,p'-DDT, p,p'-DDE and p,p'-DDD)	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
delta-BHC	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Dicofol	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Dieldrin	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Endosulfan I	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Endosulfan II	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Endosulfan sulfate	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Endrin	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Endrin (endrin and delta-keto-endrin)	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Endrin aldehyde *	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
gamma-BHC (Lindane)	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok

Approved by

*S. Chanta*

Sumalee Chanta  
Manager

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.



ISO/IEC 17025  
Accreditation No. 1031/47

## Analysis / Test Report

**Client** : Medifoods (Thailand) Co., Ltd.  
333 Moo.7, T.Chongsammor, A.Kangkhor, Chaipayum Thailand 36150  
**P/O** : PO6807001  
**Project Name** :  
**Project Location** :

**Lot ID: 2562017**

Date Received : Jun 27, 2025  
Date Reported : Jul 05, 2025  
Report Number : 3353918-1

Page 3 of 5

**Sample Number** : 2562017-2  
**Sampled Date** : Jun 25, 2025  
**Sample Description** : ข้าวหอมมันปลูก (ตราฮักมัน) ข้าวปลอดสาร  
**Date Analysis Commenced** : Jun 30, 2025  
**Condition of Sample** : Packed in one plastic bag

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
<b>Pesticides - Organochlorine Group</b>						
Heptachlor	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Heptachlor (sum of heptachlor and heptachlor epoxide)	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Heptachlor-Epoxide	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Hexachlorobenzene	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Methoxychlor *	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Mirex	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
o,p'-DDD	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
o,p'-DDE	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
o,p'-DDT	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
p,p'-DDD	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
p,p'-DDE	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
p,p'-DDT	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
trans-Chlordane	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
<b>Pesticides - Organophosphate Group</b>						
Acephate	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Azinphos-ethyl	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Chlorpyrifos	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok

Approved by

*S. Chanta*

Sumalee Chanta  
Manager

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.



ISO/IEC 17025  
Accreditation No. 1031/47

## Analysis / Test Report

**Client :** Medifoods (Thailand) Co., Ltd.  
333 Moo.7, T.Chongsammor, A.Kangkhor, Chaipayum Thailand 36150  
**P/O :** PO6807001  
**Project Name :**  
**Project Location :**

**Lot ID: 2562017**

Date Received : Jun 27, 2025  
Date Reported : Jul 05, 2025  
Report Number : 3353918-1

Page 4 of 5

**Sample Number** 2562017-2  
**Sampled Date** Jun 25, 2025  
**Sample Description** ข้าวหอมมันปลูก (ตราฮักมัน) ข้าวปลอดสาร  
**Date Analysis Commenced** Jun 30, 2025  
**Condition of Sample** Packed in one plastic bag

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
<b>Pesticides - Organophosphate Group</b>						
Chlorpyrifos Methyl	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Diazinon *	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Dichlorvos (DDVP)	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Dicrotophos	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Dimethoate	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
EPN	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Ethion	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Fenitrothion	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Malathion	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Methamidophos	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Methidathion *	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Mevinphos	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Monocrotophos	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Omethoate	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Parathion ethyl	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Parathion methyl	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Phosalone	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok

Approved by

*S. Chanta*

Sumalee Chanta  
Manager

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.



ISO/IEC 17025  
Accreditation No. 1031/47

## Analysis / Test Report

**Client :** Medifoods (Thailand) Co., Ltd.  
333 Moo.7, T.Chongsammor, A.Kangkhor, Chaipayum Thailand 36150  
**P/O :** PO6807001  
**Project Name :**  
**Project Location :**

**Lot ID: 2562017**

Date Received : Jun 27, 2025  
Date Reported : Jul 05, 2025  
Report Number : 3353918-1

Page 5 of 5

**Sample Number** 2562017-2  
**Sampled Date** Jun 25, 2025  
**Sample Description** ข้าวหอมมันปู (ตราฮักมัน) ข้าวปลอดสาร  
**Date Analysis Commenced** Jun 30, 2025  
**Condition of Sample** Packed in one plastic bag

Analyte	Unit	LOD	LOQ (LOR)	Result	Method	Testing Location
<b>Pesticides - Organophosphate Group</b>						
Pirimiphos-ethyl	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Pirimiphos-methyl	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Profenofos	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Prothiofos	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Triazophos	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
<b>Pesticides - Pyrethroid Group</b>						
Bifenthrin	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Cyfluthrin	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Cypermethrin	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Deltamethrin	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Fenvalerate	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Lambda-Cyhalothrin	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok
Permethrin	mg/kg	0.005	0.01	Not Detected	In-house method STM No. 03-186 based on EN 15662:2018	Bangkok

**Remark :**

- LOD : Limit of Detection
- "<" : Lower than LOQ (Limit of Quantitation) / LOR (Limit of Reporting)
- Analyte(s) marked \* is/are not included in scope of Accreditation ISO/IEC 17025.
- Sampling is not included in scope of accreditation ISO/IEC 17025

Approved by

*S. Chanta*

Sumalee Chanta  
Manager

Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. The report shall not be reproduced except in full without the written approval of the laboratory.